




	YEAR		B/D	POS		YEAR		B/D	POS
BeLAZ 7540,75485,75486,75487		IAMZ 238H	D	4	Traktor DT 75		IAMZ 236	D	2
BeLAZ 75407,754051,754071		IAMZ 240	D	5	Traktor DT 75M		D 440	D	1
KrAZ 250,255,6444,6510		IAMZ 236	D	3	Traktor K-700		IAMZ 238H	D	4
KrAZ 260,5444,6437,6443,6505		IAMZ 238H	D	4	Traktor K-700A		IAMZ 238H	D	4
KrAZ 65055,65102		IAMZ 238H	D	4	Traktor K-701		IAMZ 240	D	5
MAZ 500,503,504,509A		IAMZ 236	D	3	Traktor K-701P		IAMZ 240	D	6
MAZ 5335,5429,5551,5366,55512		IAMZ 236	D	3	URAL 4320,4420,5557		IAMZ 236	D	3
MAZ 53363,5432,54322,6422,64229		IAMZ 238H	D	4					

**YAMZ/MAZ**

	B/D		Cyl.	ccm	kW	PS	Compr. Ratio	Pos.
A 41	D	130.000	4					2
D 440	D	130.000	4					1
IAMZ 236	D	130.000	6	11140 ccm	147kW		16.5:1	3
IAMZ 238	D	130.000	8	14860 ccm	191kW		16.5:1	4
IAMZ 238H	D	130.000	8	14960 ccm	196 kW		16.5:1	4
IAMZ 240	D	130.000	12	22300 ccm	220 kW		16.5:1	5
IAMZ 240	D	130.000	12	22300 ccm	220 kW		16.5:1	6



1	2	3	4	5	6	7	8	9	10
<b>O130.00</b>									
D 440									
D 4									
4 130.00 	GL 172.5 KH 100.0 MT -24.2  G (SN)	50.00 109.5	007,10°,P,CR,KV1 007,10°,STD 029A,10°,STD 231,P,CR,STD	3.500 5.400 3.500 5.400 3.500 5.400 6.000 6.000			 A=151.0 C=160.0 L=285.0 H+F=12.1+0.9		
110-0198-000		210-0016-000	320-0098-000		130.000	410-0016-000	510-0198-000	540-0198-000	
<b>O130.00</b>									
A 41									
D 4									
	GL 172.5 KH 100.0 MT -24.8  G (SN)	50.00 109.5	007,10°,P,CR,KV1 007,10°,STD 029A,10°,STD 231,P,CR,STD	3.500 5.400 3.500 5.400 3.500 5.400 6.000 6.000			 A=151.0 C=160.0 L=285.0 H+F=12.1+0.9		
110-0163-000		210-0016-000	320-0098-000		130.000	410-0016-000	510-0204-000	540-0204-000	
<b>O130.00</b>									
IAMZ 236									
D 6 11140 ccm 147KW 16.5:1									
	GL 172.5 KH 100.0 MT -24.3  G (SN)	50.00 109.5	007,10°,P,CR,KV1 007,10°,STD 029A,10°,STD 231,P,CR,STD	3.500 5.400 3.500 5.400 3.500 5.400 6.000 6.000			 A=151.0 C=160.0 L=285.0 H+F=12.1+0.9		
110-0163-200		210-0016-000	320-0098-000		130.000	410-0016-000	510-0163-200	540-0163-200	
	GL 172.5 KH 100.0 MT -24.8  G (SN)	50.00 109.5	007,10°,P,CR,KV1 007,10°,STD 029A,10°,STD 231,P,CR,STD	3.500 5.400 3.500 5.400 3.500 5.400 6.000 6.000			 A=151.0 C=160.0 L=285.0 H+F=12.1+0.9		
110-0163-000		210-0016-000	320-0098-000		130.000	410-0016-000	510-0163-000	540-0163-000	



1	2	3	4	5	6	7	8	9	10
<b>O130.00</b>									
IAMZ 238 D 8 14860 ccm 191kW 16.5:1									
IAMZ 238H D 8 14960 ccm 196 kW 16.5:1									
8 130.00 	GL 172.5 KH 100.0 MT -24.5  G (SN)	50.00 109.5	007,10° ,P,CR,KV1 007,10° ,STD 029A,10° ,STD 231,P,CR,STD	3.500 5.400 3.500 5.400 3.500 5.400 6.000 6.000			 A=151.0 C=160. L=285.0 H+F=12.1+0.9		
110-0098-000		210-0016-000		320-0098-000		130.000	410-0016-000	510-0098-000	540-0098-000
<b>O130.00</b>									
IAMZ 240 D 12 22300 ccm 220 kW 16.5:1									
12 130.00 	GL 172.5 KH 100.0 MT -24.8  G (SN)	50.00 109.5	007,10° ,P,CR,KV1 007,10° ,STD 029A,10° ,STD 231,P,CR,STD	3.500 5.400 3.500 5.400 3.500 5.400 6.000 6.000			 A=151.0 C=160. L=285.0 H+F=12.1+0.9		
110-0163-000		210-0016-000		320-0098-000		130.000	410-0016-000	510-0165-000	540-0165-000
<b>O130.00</b>									
IAMZ 240 D 12 22300 ccm 220 kW 16.5:1									
12 130.00 	GL 172.5 KH 100.0 MT -24.8  G (SN)	50.00 109.5	007,10° ,P,CR,KV1 007,10° ,STD 029A,10° ,STD 231,P,CR,STD	3.500 5.400 3.500 5.400 3.500 5.400 6.000 6.000			 A=151.0 C=160.0 L=285.0 H+F=11.7+0.2		
110-0163-000		210-0016-000		320-0098-000		130.000	410-0397-000	510-0397-000	540-0397-000