



**PERKINS**

|  | B/D    |  | Cyl. | ccm      | kW        | PS         | Compr. Ratio | Pos. |
|---|--------|---|------|----------|-----------|------------|--------------|------|
| 3.152   | D[AN]  | 91.480  | 3    | 2490 ccm | 27-33 kW  | 37-45 PS   | 17.4:1       | 1    |
| 4.203   | D[AN]  | 91.480  | 4    | 3335 ccm | 44 kW     | 60 PS      | 17.4:1       | 1    |
| 4.212   | D[AN]  | 98.480  | 4    | 3475 ccm | 44-47 kW  | 60-64 PS   | 15.5:1       | 10   |
| 4.212   | D      | 98.480  | 4    | 3473 ccm | 44-47 kW  | 60-64 PS   | 15.1:1       | 13   |
| 4.236   | D [AN] | 98.480  | 4    | 3864 ccm | 48-60 kW  | 59-80 PS   | 16:1         | 6    |
| 4.236   | D [AN] | 98.480  | 4    | 3864 ccm | 48-60 kW  | 59-80 PS   | 16:1         | 8    |
| 4.236   | G      | 98.480  | 4    |          |           |            |              | 9    |
| 6.305   | D[AN]  | 91.480  | 6    | 5003 ccm | 66 kW     | 90 PS      | 17.4:1       | 1    |
| 6.354   | D [AN] | 98.480  | 6    | 5794 ccm | 69-82 kW  | 94-112 PS  | 16:1         | 7    |
| 6.372   | D[AN]  | 101.054   | 6    | 6100 ccm | 87 kW     | 118 PS     | 16:1         | 18   |
| 1106C-E60TA Euro 2  | D[LA]  | 100.000   | 6    | 5984 ccm | 88-130 kW | 120-175 PS | 17.25:1      | 15   |
| 6.354 V   | D [AN] | 98.480  | 6    | 5794 ccm | 87 kW     | 118 PS     | 16:1         | 7    |
| 6.372.4   | D[AN]  | 101.054   | 6    | 6100 ccm | 82 kW     | 112 PS     | 16:1         | 18   |
| A 3.152   | D[AN]  | 91.480  | 3    | 2503 ccm | 27-35 kW  | 37-48 PS   | 17.4:1       | 1    |
| A 4.212   | D[AN]  | 98.480  | 4    | 3475 ccm | 44 kW     | 60 PS      | 15.1:1       | 10   |
| A 4.236   | D [AN] | 98.480  | 4    | 3864 ccm | 48-60 kW  | 59-80 PS   | 16:1         | 8    |
| A 4.248   | D[AN]  | 101.054   | 4    | 4067 ccm | 53-61 kW  | 72-83 PS   | 16:1         | 16   |
| A 4.248.2   | D[AN]  | 101.054   | 4    | 4067 ccm | 60 kW     | 82 PS      | 18:1         | 17   |
| A4.203  | D[AN]  | 91.480  | 4    | 3335 ccm | 43 kW     | 58 PS      | 16.5:1       | 1    |
| A6.305  | D[AN]  | 91.480  | 6    | 5003 ccm | 55 kW     | 75 PS      | 17.4:1       | 1    |
| AD 3.152  | D[AN]  | 91.480  | 3    | 2490 ccm | 31-42 kW  | 42-57 PS   | 18.5:1       | 2    |
| AD 4.203  | D[AN]  | 91.480  | 4    | 3335 ccm | 42 kW     | 56 PS      | 19:1         | 2    |
| AT 4.236  | D [A]  | 98.480  | 4    | 3864 ccm | 66 kW     | 90 PS      |              | 11   |
| AT 6.354.4  | D [A]  | 98.480  | 6    | 5794 ccm |           |            | 16:1         | 12   |
| D 3.152   | D[AN]  | 91.480  | 3    | 2503 ccm | 35 kW     | 47 PS      | 18.4:1       | 2    |
| D 3.152   | D[AN]  | 91.480  | 3    | 2503 ccm | 35 kW     | 47 PS      | 18.5:1       | 3    |
| D 3.152   | D      | 91.480  | 3    | 2503 ccm | 35 kW     | 47 PS      | 18.5:1       | 4    |
| D 3.152   | G      | 91.480  | 3    |          |           |            |              | 5    |
| D 4.203   | D[AN]  | 91.480  | 4    | 3335 ccm | 40 kW     | 54 PS      | 18.5:1       | 3    |
| D 4.204   | D[AN]  | 91.480  | 4    | 3335 ccm | 40 kW     | 54 PS      | 18.6:1       | 2    |
| T 4.236   | D [A]  | 98.480  | 4    | 3864 ccm | 58 kW     | 79 PS      | 15.25:1      | 11   |
| T 4.40 Euro 1   | D[LA]  | 100.000   | 4    | 3990 ccm | 82-88 kW  | 112-120 PS |              | 14   |
| T 4.40 Euro 2   | D[LA]  | 100.000   | 4    | 3990 ccm | 82-88 kW  | 112-120 PS | 16:1         | 15   |
| T 6.354.4   | D [A]  | 98.480  | 6    | 5794 ccm | 119 kW    | 162 PS     | 165:1        | 12   |
| T 6.60 Euro 2   | D[LA]  | 100.000   | 6    | 5984 ccm | 120 kW    | 163 PS     |              | 15   |
| T 6.60 (S) Euro 1   | D[AN]  | 100.000   | 6    | 6000 ccm | 88 kW     | 120 PS     |              | 14   |
| T 6.60 (TI) Euro 1  | D[LA]  | 100.000   | 6    | 6000 ccm | 154 kW    | 210 PS     |              | 14   |



**PERKINS**

| 1                   |  | 2                               |  | 3                   |  | 4                   |  | 5     |  | 6        |  | 7             |  | 8        |  | 9                   |  | 10      |          |  |
|---------------------|--|---------------------------------|--|---------------------|--|---------------------|--|-------|--|----------|--|---------------|--|----------|--|---------------------|--|---------|----------|--|
| <b>Ø 91.48</b>      |  |                                 |  |                     |  |                     |  |       |  |          |  |               |  |          |  |                     |  |         | <b>1</b> |  |
| 3.152               |  |                                 |  |                     |  | D[AN]               |  | 3     |  | 2490 ccm |  | 60-64 kW      |  | 37-45 PS |  | 17.4:1              |  | 126.3mm |          |  |
| 4.203               |  |                                 |  |                     |  | D[AN]               |  | 4     |  | 3335 ccm |  | 44 kW         |  | 60 PS    |  | 17.4:1              |  | 126.9mm |          |  |
| 6.305               |  | 01.1958→12.1968                 |  |                     |  | D[AN]               |  | 6     |  | 5003 ccm |  | 66 kW         |  | 90 PS    |  | 17.4:1              |  | 126.9mm |          |  |
| A 3.152             |  |                                 |  |                     |  | D[AN]               |  | 3     |  | 2503 ccm |  | 27-35 kW      |  | 37-48 PS |  | 17.4:1              |  | 126.9mm |          |  |
| A4.203              |  |                                 |  |                     |  | D[AN]               |  | 4     |  | 3335 ccm |  | 43 kW         |  | 58 PS    |  | 16.5:1              |  | 126.9mm |          |  |
| A6.305              |  |                                 |  |                     |  | D[AN]               |  | 6     |  | 5003 ccm |  | 55 kW         |  | 75 PS    |  | 17.4:1              |  | 126.9mm |          |  |
| 3/4<br>91.48        |  |                                 |  |                     |  | 001,P,CR,KV1        |  | 2.380 |  | 3.540    |  |               |  |          |  |                     |  |         |          |  |
|                     |  |                                 |  |                     |  | 005,P,STD           |  | 2.380 |  | 3.540    |  |               |  |          |  |                     |  |         |          |  |
|                     |  |                                 |  |                     |  | 026,P,STD           |  | 3.160 |  | 3.540    |  |               |  |          |  |                     |  |         |          |  |
|                     |  |                                 |  |                     |  | 031,P,STD           |  | 6.335 |  | 3.330    |  |               |  |          |  |                     |  |         |          |  |
|                     |  |                                 |  |                     |  | 030,P,STD           |  | 6.335 |  | 3.330    |  |               |  |          |  |                     |  |         |          |  |
|                     |  |                                 |  |                     |  | <b>320-0108-100</b> |  |       |  |          |  | <b>91.480</b> |  |          |  |                     |  |         |          |  |
| <b>Ø 91.48</b>      |  |                                 |  |                     |  |                     |  |       |  |          |  |               |  |          |  |                     |  |         | <b>2</b> |  |
| AD 3.152            |  | 1953→1970                       |  |                     |  | D[AN]               |  | 3     |  | 2490 ccm |  | 31-42 kW      |  | 42-57 PS |  | 18.5:1              |  | 126.3mm |          |  |
| D 3.152             |  |                                 |  |                     |  | D[AN]               |  | 3     |  | 2503 ccm |  | 35 kW         |  | 47 PS    |  | 18.4:1              |  | 126.9mm |          |  |
| AD 4.203            |  | 1959→1976                       |  |                     |  | D[AN]               |  | 4     |  | 3335 ccm |  | 42 kW         |  | 56 PS    |  | 19:1                |  | 126.9mm |          |  |
| D 4.204             |  | 1962→                           |  |                     |  | D[AN]               |  | 4     |  | 3335 ccm |  | 40 kW         |  | 54 PS    |  | 18.6:1              |  | 126.9mm |          |  |
| 3/4<br>91.48        |  |                                 |  |                     |  | 001,P,CR,KV1        |  | 2.380 |  | 3.540    |  |               |  |          |  |                     |  |         |          |  |
|                     |  |                                 |  |                     |  | 005,P,STD           |  | 2.380 |  | 3.540    |  |               |  |          |  |                     |  |         |          |  |
|                     |  |                                 |  |                     |  | 026,P,STD           |  | 3.160 |  | 3.540    |  |               |  |          |  |                     |  |         |          |  |
|                     |  |                                 |  |                     |  | 231,P,CR,STD        |  | 6.335 |  | 3.950    |  |               |  |          |  |                     |  |         |          |  |
|                     |  |                                 |  |                     |  | 031,P,STD           |  | 6.335 |  | 3.330    |  |               |  |          |  |                     |  |         |          |  |
|                     |  |                                 |  |                     |  | <b>320-0108-000</b> |  |       |  |          |  | <b>91.480</b> |  |          |  |                     |  |         |          |  |
| 3/4<br>91.48        |  |                                 |  |                     |  | 001,P,CR,STD        |  | 2.380 |  | 3.540    |  |               |  |          |  |                     |  |         |          |  |
|                     |  |                                 |  |                     |  | 005,P,STD           |  | 2.380 |  | 3.540    |  |               |  |          |  |                     |  |         |          |  |
|                     |  |                                 |  |                     |  | 026,P,STD           |  | 3.160 |  | 3.540    |  |               |  |          |  |                     |  |         |          |  |
|                     |  |                                 |  |                     |  | 231,P,CR,STD        |  | 6.335 |  | 3.950    |  |               |  |          |  |                     |  |         |          |  |
|                     |  |                                 |  |                     |  | 031,P,STD           |  | 6.335 |  | 3.330    |  |               |  |          |  |                     |  |         |          |  |
|                     |  |                                 |  |                     |  | <b>320-0108-500</b> |  |       |  |          |  | <b>91.480</b> |  |          |  |                     |  |         |          |  |
| <b>Ø 91.48</b>      |  |                                 |  |                     |  |                     |  |       |  |          |  |               |  |          |  |                     |  |         | <b>3</b> |  |
| D 4.203             |  |                                 |  |                     |  | D[AN]               |  | 4     |  | 3335 ccm |  | 40 kW         |  | 54 PS    |  | 18.5:1              |  | 126.9mm |          |  |
| D 3.152             |  |                                 |  |                     |  | D[AN]               |  | 3     |  | 2503 ccm |  | 35 kW         |  | 47 PS    |  | 18.5:1              |  | 126.9mm |          |  |
| 3/4<br>91.48        |  | GL 109.6<br>KH 62.0<br>MT -19.3 |  | 31.75<br>75.3       |  | 001,P,CR,KV1        |  | 2.380 |  | 3.540    |  |               |  |          |  |                     |  |         |          |  |
|                     |  |                                 |  |                     |  | 005,P,STD           |  | 2.380 |  | 3.540    |  |               |  |          |  |                     |  |         |          |  |
|                     |  |                                 |  |                     |  | 026,P,STD           |  | 2.385 |  | 3.540    |  |               |  |          |  |                     |  |         |          |  |
|                     |  |                                 |  |                     |  | 231,P,CR,STD        |  | 4.747 |  | 3.950    |  |               |  |          |  |                     |  |         |          |  |
| <b>110-0211-000</b> |  |                                 |  | <b>210-0015-000</b> |  | <b>320-0211-000</b> |  |       |  |          |  | <b>91.480</b> |  |          |  | <b>510-0211-000</b> |  |         |          |  |



**PERKINS**

| 1  | 2                                  | 3                | 4   | 5   | 6   | 7      | 8            | 9            | 10           |
|--|------------------------------------|------------------|---|---|---|--------|--------------|--------------|--------------|
| <b>Ø 91.48</b>                                   |                                    |                  |   |   |   |        |              |              |              |
| D 3.152  |                                    |                  |   |   |   |        |              |              |              |
| D 3 2503 ccm 35 kW 47 PS 18.5:1                  |                                    |                  |   |   |   |        |              |              |              |
| 3/4<br>91.48<br>                                 | GL 109.6<br>KH 61.8<br>MT -18.2    | 31.75<br>75.3    | 001,P,CR,KV1<br>005,P,STD<br>005,P,STD<br>231,P,CR,STD              | 2.380<br>2.380<br>2.380<br>6.350          | 3.540<br>3.540<br>3.540<br>3.950          |        |              |              |              |
| 110-0513-100                                     |                                    | 210-0015-000     | 320-0015-000  |   |   | 91.480 | 410-0015-000 | 510-0513-200 | 540-0513-200 |
| A=93.62<br>C=96.85<br>L=215.9<br>H=3.81          |                                    |                  |   |   |   |        |              |              |              |
| 3/4<br>91.48<br>                                 | GL 109.6<br>KH 61.8<br>MT -18.2    | 31.75<br>75.3    | 001,P,CR,KV1<br>005,P,STD<br>005,P,STD<br>231,P,STD                 | 2.380<br>2.380<br>2.380<br>6.350          | 3.540<br>3.540<br>3.540<br>3.950          |        |              |              |              |
| 110-0513-100                                     |                                    | 210-0015-000     | 320-0015-100  |   |   | 91.480 | 410-0015-000 | 510-0513-300 | 540-0513-300 |
| A=93.62<br>C=96.85<br>L=215.9<br>H=3.81          |                                    |                  |   |   |   |        |              |              |              |
| <b>Ø 91.48</b>                                   |                                    |                  |   |   |   |        |              |              |              |
| D 3.152  |                                    |                  |   |   |   |        |              |              |              |
| G 3  |                                    |                  |   |   |   |        |              |              |              |
| 3<br>91.48<br>                                   | GL 108.4<br>KH 60.8<br>MT -20.8    | 31.75<br>75.3    | 001,P,CR,KV1<br>005,P,STD<br>005,P,STD<br>231,P,CR,STD              | 2.380<br>2.380<br>2.380<br>6.350          | 3.540<br>3.540<br>3.540<br>3.950          |        |              |              |              |
| 110-0517-000                                     |                                    | 210-0015-000     | 320-0015-000  |   |   | 91.480 |              | 510-0517-000 |              |
| <b>Ø 98.48</b>                                   |                                    |                  |   |   |   |        |              |              |              |
| 4.236 01.1972→                                   |                                    |                  |   |   |   |        |              |              |              |
| D [AN] 4 3864 ccm 48-60 kW 59-80 PS 16:1 126.8mm |                                    |                  |   |   |   |        |              |              |              |
| 4<br>98.48<br>                                   | GL 120.90<br>KH 70.15<br>MT -20.43 | 34.925<br>84.100 | 001,P,CR,KV1<br>005,P,STD<br>005,P,STD<br>231,P,CR,STD<br>031,P,STD | 2.382<br>2.382<br>2.382<br>6.335<br>6.335 | 3.870<br>3.870<br>3.870<br>3.950<br>3.600 |        |              |              |              |
| 110-0515-000                                     |                                    | 210-0014-000     | 320-0142-200  |   |   | 98.480 | 410-0014-000 | 510-515-200  | 540-0515-200 |
| A=103.26<br>L=228.98                             |                                    |                  |   |   |   |        |              |              |              |



**PERKINS**

| 1   | 2   | 3                                    | 4   |   | 5   | 6          | 7  | 8                | 9                | 10 |
|---|---|--------------------------------------|---|---|---|------------|--|------------------|------------------|----|
| <br>4<br>98.48<br><br>110-0515-010<br><b>Ø 98.48</b>  | <br>GL 120.65<br>KH 69.92<br>MT -20.15<br>HKU | <br>34.925<br>84.100<br>210-0014-000 | 001,P,CR,KV1<br>005,P,STD<br>023,P,STD<br>231,P,CR,STD<br>031,P,STD | 2.382<br>2.382<br>2.385<br>6.335<br>6.335 | 3.870<br>3.870<br>3.870<br>3.950<br>3.600 | <br>98.480 | <br>A=103.26<br>L=228.98<br>410-0014-000 | <br>510-0515-310 | <br>540-0515-310 |    |
| <b>7</b><br>6.354 01.1969→ D [AN] 6 5794 ccm 69-82 kW 94-112 PS 16:1 126.8mm<br>6.354 V 01.1972→12.1975 D [AN] 6 5794 ccm 87 kW 118 PS 16:1 126.8mm |   |                                      |   |   |   |            |  |                  |                  |    |
| <br>4<br>98.48<br><br>110-0515-010<br><b>Ø 98.48</b>  | <br>GL 120.65<br>KH 69.92<br>MT -20.15<br>HKU | <br>34.925<br>84.100<br>210-0014-000 | 001,P,CR,KV1<br>005,P,STD<br>005,P,STD<br>030,P,STD<br>030,P,STD    | 2.382<br>2.380<br>2.380<br>6.350<br>6.350 | 3.870<br>3.870<br>3.870<br>3.600<br>3.600 | <br>98.480 | <br>A=103.26<br>L=228.98<br>410-0014-000 | <br>510-0308-010 | <br>540-0308-010 |    |
| <b>8</b><br>4.236 1961→ D [AN] 4 3864 ccm 48-60 kW 59-80 PS 16:1 126.8mm<br>A 4.236 1961→ D [AN] 4 3864 ccm 48-60 kW 59-80 PS 16:1 126.8mm          |   |                                      |   |   |   |            |  |                  |                  |    |
| <br>4<br>98.48<br><br>110-0142-000<br><b>Ø 98.48</b>  | <br>GL 120.9<br>KH 70.2<br>MT -20.5           | <br>34.925<br>84.100<br>210-0014-000 | 001,P,CR,KV1<br>005,P,STD<br>005,P,STD<br>231,P,CR,STD<br>030,P,STD | 2.382<br>2.382<br>2.382<br>6.350<br>6.350 | 3.870<br>3.870<br>3.870<br>3.950<br>3.600 | <br>98.480 | <br>A=103.26<br>L=228.98<br>410-0014-000 | <br>510-0142-000 | <br>540-0142-000 |    |
| <b>9</b><br>4.236 G 4   |   |                                      |   |   |   |            |  |                  |                  |    |
| <br>4<br>98.48<br><br>110-0516-000  | <br>GL 119.8<br>KH 69.0<br>MT -17.2           | <br>34.925<br>84.100<br>210-0014-000 | 001,P,CR,KV1<br>005,P,STD<br>005,P,STD<br>231,P,CR,STD              | 2.382<br>2.382<br>2.382<br>4.000          | 3.870<br>3.870<br>3.870<br>4.250          | <br>98.480 | <br>510-0516-000                         | <br>510-0516-000 | <br>510-0516-000 |    |



**PERKINS**

| 1                   | 2        | 3 | 4               | 5     | 6        | 7              | 8          | 9       | 10        |
|---------------------|----------|---|-----------------|-------|----------|----------------|------------|---------|-----------|
|                     |          |   |                 |       |          |                |            |         |           |
| <b>Ø 98.48</b>      |          |   |                 |       |          |                |            |         | <b>10</b> |
| 4.212               | 1974→    |   | D[AN]           | 4     | 3475 ccm | 44-47 kW       | 6064 PS    | 15.5:1  | 114mm     |
| A 4.212             | 1969→    |   | D[AN]           | 4     | 3475 ccm | 44 kW          | 60 PS      | 15.1:1  | 114mm     |
| 4                   |          |   | 001,P,CR,KV1    | 2.382 | 3.870    |                |            |         |           |
| 98.48               |          |   | 005,P,STD       | 2.382 | 3.870    |                |            |         |           |
|                     |          |   | 023,P,STD       | 2.385 | 3.870    |                |            |         |           |
|                     |          |   | 231,P,CR,STD    | 6.335 | 3.950    |                |            |         |           |
| <b>320-0225-200</b> |          |   |                 |       |          | <b>98.480</b>  |            |         |           |
| <b>Ø 98.48</b>      |          |   |                 |       |          |                |            |         | <b>11</b> |
| AT 4.236            |          |   | D [A]           | 4     | 3864 ccm | 66 kW          | 90 PS      |         | 126.8mm   |
| T 4.236             |          |   | D [A]           | 4     | 3864 ccm | 58 kW          | 79 PS      | 15.25:1 | 126.8mm   |
| 4                   |          |   | 008,6°,P,CR,KV1 | 3.160 | 4.150    |                |            |         |           |
| 98.48               |          |   | 005,IF,P,STD    | 2.385 | 4.150    |                |            |         |           |
|                     |          |   | 231,P,CR,STD    | 4.747 | 3.950    |                |            |         |           |
| <b>320-0627-000</b> |          |   |                 |       |          | <b>98.480</b>  |            |         |           |
| <b>Ø 98.48</b>      |          |   |                 |       |          |                |            |         | <b>12</b> |
| AT 6.354.4          | 1970→    |   | D [A]           | 6     | 5794 ccm |                |            | 16:1    | 126.8 mm  |
| T 6.354.4           | 1975→    |   | D [A]           | 6     | 5794 ccm | 119 kW         | 162 PS     | 165:1   | 126.8mm   |
| 6                   |          |   | 008,6°,P,CR,KV1 | 3.160 | 4.150    |                |            |         |           |
| 98.48               |          |   | 005,IF,P,STD    | 2.385 | 4.150    |                |            |         |           |
|                     |          |   | 231,P,CR,STD    | 4.747 | 3.950    |                |            |         |           |
| <b>320-0627-000</b> |          |   |                 |       |          | <b>98.480</b>  |            |         |           |
| <b>Ø 98.48</b>      |          |   |                 |       |          |                |            |         | <b>13</b> |
| 4.212               |          |   | D               | 4     | 3473 ccm | 44-47 kW       | 60-64 PS   | 15.1:1  |           |
| 4                   |          |   | 001,P,CR,KV1    | 2.382 | 3.870    |                |            |         |           |
| 98.48               |          |   | 005,P,STD       | 2.382 | 3.870    |                |            |         |           |
|                     |          |   | 231,P,CR,STD    | 6.350 | 3.950    |                |            |         |           |
| <b>320-0822-000</b> |          |   |                 |       |          | <b>98.480</b>  |            |         |           |
| <b>Ø 100.00</b>     |          |   |                 |       |          |                |            |         | <b>14</b> |
| T 4.40 Euro 1       | 1995→    |   | D[LA]           | 4     | 3990 ccm | 82-88 kW       | 112-120 PS |         | 127.3 mm  |
| T 6.60 (S) Euro1    | 1995→    |   | D[AN]           | 6     | 6000 ccm | 88 kW          | 120 PS     |         | 127.3 mm  |
| T 6.60 (TI) Euro1   | 1995→    |   | D[LA]           | 6     | 6000 ccm | 154 Kw         | 210 PS     |         | 127.3 mm  |
| 4/6                 |          |   | 008,6°,P,CR,KV1 | 3.500 | 4.200    |                |            |         |           |
| 100.000             |          |   | 026,P,IKA       | 2.500 | 4.100    |                |            |         |           |
|                     |          |   | 231,P,CR,STD    | 4.000 | 4.250    |                |            |         |           |
| <b>320-0332-100</b> |          |   |                 |       |          | <b>100.000</b> |            |         |           |
| <b>Ø 100.00</b>     |          |   |                 |       |          |                |            |         | <b>15</b> |
| 1106C-E60TA Euro 2  |          |   | D[LA]           | 6     | 5984 ccm | 88-130 kW      | 120-175 PS | 17.25:1 | 127.3 mm  |
| T 4.40 Euro 2       | 04.1994→ |   | D[LA]           | 4     | 3990 ccm | 82-88 kW       | 112-120 PS | 16:1    | 127.3 mm  |
| T 6.60 Euro 2       | 1997→    |   | D[LA]           | 6     | 5984 ccm | 120 kW         | 163 PS     |         | 127.3 mm  |
| 4/6                 |          |   | 008,6°,P,CR,KV1 | 3.500 | 4.200    |                |            |         |           |
| 100.000             |          |   | 026,P,STD       | 2.500 | 4.200    |                |            |         |           |
|                     |          |   | 231,P,CR,STD    | 3.500 | 4.050    |                |            |         |           |
| <b>320-0821-000</b> |          |   |                 |       |          | <b>100.000</b> |            |         |           |



**PERKINS**

| 1                | 2            | 3 | 4                   | 5     | 6        | 7              | 8        | 9    | 10      |
|------------------|--------------|---|---------------------|-------|----------|----------------|----------|------|---------|
|                  |              |   |                     |       |          |                |          |      |         |
| <b>Ø 101.054</b> |              |   |                     |       |          |                |          |      |         |
| A 4.248          | 1969→04.1982 |   | D[AN]               | 4     | 4067 ccm | 53-61 kW       | 72-83 PS | 16:1 | 126.7mm |
| 4                |              |   | 001,IF,P,CR,STD     | 2.385 | 4.200    |                |          |      |         |
| 101.054          |              |   | 005,IF,P,STD        | 2.385 | 4.200    |                |          |      |         |
|                  |              |   | 023,P,STD           | 2.385 | 4.200    |                |          |      |         |
|                  |              |   | 231,P,CR,STD        | 6.335 | 4.950    |                |          |      |         |
|                  |              |   | <b>320-0244-000</b> |       |          | <b>101.054</b> |          |      |         |
| <b>Ø 101.054</b> |              |   |                     |       |          |                |          |      |         |
| A 4.248.2        | 1981→        |   | D[AN]               | 4     | 4067 ccm | 60 kW          | 82 PS    | 18:1 | 126.7mm |
| 4                |              |   | 001,IF,P,CR,STD     | 2.500 | 4.200    |                |          |      |         |
| 101.054          |              |   | 023,P,STD           | 2.500 | 4.200    |                |          |      |         |
|                  |              |   | 231,P,CR,STD        | 5.000 | 4.650    |                |          |      |         |
|                  |              |   | <b>320-0245-000</b> |       |          | <b>101.054</b> |          |      |         |
| <b>Ø 101.054</b> |              |   |                     |       |          |                |          |      |         |
| 6.372            |              |   | D[AN]               | 6     | 6100 ccm | 87 kW          | 118 PS   | 16:1 | 126.7mm |
| 6.372.4          | 1969→        |   | D[AN]               | 6     | 6100 ccm | 82 kW          | 112 PS   | 16:1 | 126.7mm |
| 6                |              |   | 001,IF,P,CR,STD     | 2.385 | 4.200    |                |          |      |         |
| 101.054          |              |   | 005,IF,P,STD        | 2.385 | 4.200    |                |          |      |         |
|                  |              |   | 023,P,STD           | 2.385 | 4.200    |                |          |      |         |
|                  |              |   | 231,P,CR,STD        | 6.335 | 4.950    |                |          |      |         |
|                  |              |   | <b>320-0244-000</b> |       |          | <b>101.054</b> |          |      |         |